

Aquatic Life Support





Aquatic Life Support Process




-Life Support

-Filtration

-Backwash





Aquatic Life Support System





Aquatic Life Support Systems consists of Saltwater and Freshwater makeup of appropriate aquatic and zoo exhibits.

There are three types of valves used in Aquatic Life Support Systems

Isolation Valves
On/Off Valves
Control Valves

Aquatic Life Support System

Valves for Saltwater Service



Ball Valves PVC/EPDM Typically 1⁄2" – 2"

Butterfly Valves PVC/PP/EPDM PP/PP/EPDM PDCPD/PDCPD/EPDM Typically 3" – 36"

External Material Trim:

304SS/316SS Exposed to Atmosphere Titanium for Submerged Applications



Aquatic Life Support System **Filtration System**






Sand filters are the traditional choice for mechanical filtration.

Sand filtration can be run manually by checking the pressure differential daily until a schedule can be established to see if backwash is required or automatically by providing motorized valves and pressure switches.

Backwash water can come from different sources including the exhibit, municipal protected water, or a backwash supply system.

Sand filters remove solids from the water passing through and are the main tools in maintaining water clarity.

Aquatic Life Support System Filtration System



Manual or Automatic Butterfly Valve Regulates Flow into

Tank to prevent Packing Sediment

Aquatic Life Support System Values for Filtration Systems




Butterfly Valves PVC/PP/EPDM PP/PP/EPDM PDCPD/PDCPD/EPDM Typically 3" – 36"

External Material Trim:

304SS/316SS Exposed to Atmosphere Titanium for Submerged Applications

Aquatic Life Support System Backwash System





<u>Multiport</u> <u>3-way</u> <u>Ball Valve or</u> <u>Tandem Butterfly</u> <u>Valve</u>

Suspended particles may cause problems with 3-way ball valve design

Best Solution-Tandem Butterfly Valve

Aquatic Life Support System Valves for Backwash Systems




Multiport Valves 3-way

2" - 4"


Tandem Butterfly Valves

2" - 8"



Aquatic Life Support System Values for Pump Stations





Check Valves PVC/PP/EPDM 3" – 8"